





X Anti Break and **Dislocation**



\triangle Full Plating



O Water and Moisture Proof



Meat Resistant





About Jelprys

Vision:

To provide quality services that exceeds the expectations of our esteemed customers

Mission:

To build long term relationships with our customers and clients and provide exceptional customer services by pursuing business through innovation and state of the art technology

Core values:

We, at Jelpry, believe in treating our customers with respect and faith, we grow through creativity, invention and innovation, and we integrate honesty, integrity and business ethics into all aspects of our business functioning.

JELPRYS for Contacting and Trading Company has been established in the Lebanon in 2020, operating in different sectors aiming at leveraging the services sector in Lebanon generally and Beirut particularly to its highest level and peak of excellence.

Our purpose is to be a leader in the contracting and trading services by providing enhanced services, relationships and profitability, under the management of professionals with extensive experience in these sectors spanning over decades through operation in the MENA region and GCC.





Our Doors Specifications



- Thickenning iron
- Internal lamination
- The thickness of the iron piece that covers the door from the inside
- The thickness of the posts inside the leaf
- Lock type
- The inner filling
- The quality of the outer shell
- Accessories
- The fist

Special Features



1.20 mm

Whole

0.80 mm

1.20 mm

Brand Kale

Rock Wool (at a density of 50 DNS)

Mdf wood is covered with layer of melamine

Against rust

Against rust

Moisture Proof


Sound Proof


Heat Resistant

Page 4



Our Door Selection
























1

-C.j.

1










Page 14




D 116


















D 104

D 105

D 106





D 107

Page 27









Antelias, Antonine Project Block D ground floor

\$\$\$ +961 71 929 390

Info@jelprys.com

www.jelprys.com

